

Two-way connector clamps

Aluminium / Stainless Steel

SPECIFICATION

Identification No.

No. **2**: with 2 Stainless Steel-Clamping screws DIN 912

Version in Aluminium

plastic coated
black, RAL 9005, textured finish **SW**
blank **BL**
matt shot-blasted

Version in Stainless Steel NI

AISI CF-8
matt shot-blasted
Clamping bores mechanically machined
Socket cap screw DIN 912
Stainless Steel AISI 304
Hexagon nuts DIN 985
Stainless Steel AISI 304



INFORMATION

The clamping bores of GN 131 two-way connector clamps are mechanically machined and designed for construction tubes GN 990 (see page 1902) or DIN 2391, DIN 2395 and DIN 2462 respectively.

The standard version of the clamping screws are socket cap screws with hexagonal socket DIN 912. They can be replaced by clamping kits GN 911 (see page 1874) / GN 911.3 (see page 1875) (article code see table of dimensions).

ACCESSORY

- Clamping kits GN 911 (see page 1874) / GN 911.3 (see page 1875)

ON REQUEST


- d₁ / d₂ with different bores

TECHNICAL INFORMATION

- Stainless Steel characteristics (see page A26)

* Complete with colour index of the Two-way connector clamps (SW or BL)

SW **BL**
RAL9005 blank



GN 131

Description	d ₁	d ₂	d ₃	k	l	m	Clamping kits for d ₃	⚖
GN 131-B10-B10-2-*	B 10	B 10	M 6	25	64	20	GN 911-M6-22	180
GN 131-B12-B12-2-*	B 12	B 12	M 6	25	64	20	GN 911-M6-22	203
GN 131-B14-B14-2-*	B 14	B 14	M 6	25	64	20	GN 911-M6-22	190
GN 131-B15-B15-2-*	B 15	B 15	M 6	25	64	20	GN 911-M6-22	190
GN 131-B16-B16-2-*	B 16	B 16	M 6	25	64	20	GN 911-M6-22	170
GN 131-B18-B18-2-*	B 18	B 18	M 6	25	64	20	GN 911-M6-22	148

Weight BL

GN 131-NI

STAINLESS STEEL

Description	d ₁	d ₂	d ₃	k	l	m	Clamping kits for d ₃	⚖
GN 131-B12-B12-2-NI	B 12	B 12	M 6	25	64	20	GN 911.3-M6-22	203
GN 131-B14-B14-2-NI	B 14	B 14	M 6	25	64	20	GN 911.3-M6-22	190
GN 131-B15-B15-2-NI	B 15	B 15	M 6	25	64	20	GN 911.3-M6-22	190
GN 131-B16-B16-2-NI	B 16	B 16	M 6	25	64	20	GN 911.3-M6-22	170
GN 131-B18-B18-2-NI	B 18	B 18	M 6	25	64	20	GN 911.3-M6-22	148
GN 131-B20-B20-2-NI	B 20	B 20	M 6	25	64	20	GN 911.3-M6-22	140